



[Small Animal Drinker](#)

Durapride Stock Tanks

Deterioration Is A Thing Of The Past With Our New Polyethylene Stock Tanks. Our polyethylene is formulated using hindered amine light stabilizers which resist color fading and brittleness from aging even under relentless sun at 100 degrees F (38 degrees C) or more. Custom polyethylene formula blended for the best balanced of impact strength and rigidity. Our material does not interact with common chemicals, feed-yard acids, etc. Use our tanks for medicating.

Computer aided design gives you lots of features.

- Rounded corners and smooth edges provide safe drinking for all livestock.

-One inch (2.54 cm) drain plug opening is recessed for protection.
-Uniform wall thickness and seamless construction - no leaks and no place for bacteria to hide
-Four notched flanges for easy anchoring.
For permanent installations, order optional Model 383344 stainless steel anchor package. Four anchor bolts, plates, washers and nuts (all stainless steel).
Drain easily plumbs down to 3/4" (1.91 cm) or any smaller diameter using fittings available at local plumbing outlets.
To anchor, use our optional USA Choice Stakes - Four 14" x .5" (3 cm x 1.3 cm) cuts. Order Model PS1.

SPECIFICATIONS

Model No.	Capacity	Size Inches (cm)	Nesting Data	Shipping Weight
PRE224				

95

360

28 (71.1)

51 (129.5)

24 (61.0)

13

6" (15.2 cm)

26 (11.8) +

PRE226

150

568

27 (68.8)

76 (193.0)

24 (61.0)

13

6" (15.2 cm)

42 (9.1)+

PRE214

50

190

28 (71.1)

51 (129.5)

12 (30.5)

17

5" (12.7 cm)

16 (7.3)

PR62

400

1514

77 (195.6)

780 (19.3 cm)

24 (61.0)

13

6" (15.2 cm)

66 (30.0)+

SAND10 Small Animal Drinker

9 (4.1)

{gallery}stocktank/low{/gallery}